# HeySmart

THE HOUSE OF TOMORROW... TODAY



SMART SOLUTIONS FOR YOUR HOME

### Welcome

### In the intelligent ecosystem of HeySmart

The wireless revolution transforms any system into advanced, connected and easy-to-use home automation



### Discover the advantage of having an Al at your service

From security to thermoregulation, from lighting to automation, HeySmart connects together all your IoT devices in a single intelligent platform accessible to all. Learn from your habits, use weather forecasts to create your perfect comfort, control the light with music; infinite scenarios for infinite possibilities.

#### **Remote and Intuitive Control**

Thanks to HeySmart, you have the power to manage your home wherever you are. Turn on the lights, check and change the temperature, check if the doors and windows are closed; customize the environment to your liking, all with a touch on your smartphone, putting the control of your home literally in your hands, and if connected to voice assistants, you can control all devices with your voice.





#### Safe and Sound

With HeySmart, safety comes first. Monitor your home with high definition security cameras, receive real-time notifications and control access remotely. HeySmart offers you the peace of mind of knowing that your home is always safe, even when you are away.

#### **Smart & Green**

The HeySmart ecosystem continues to grow with new products and features that constantly expand the possibilities of your smart home with a careful eye on ecology. Upgrade your lifestyle, make your home smarter and more eco-friendly and live a newest experience with HeySmart.






#### Easy to Install, Simple to Use

HeySmart is designed for everyone. Installing the products is quick and easy, and the intuitive user interface makes using the app a pleasure. Enter the future of the smart home with HeySmart, where technology merges with your daily life.

#### A SMART HOME IS A MUCH MORE PROTECTED AND SAFE HOME

Enjoy your moments peacefully, knowing that you can control and interact with your home wherever you are.





In HeySmart, we believe that IoT technology should make life simpler, more convenient and more efficient. In fact, the HeySmart application and devices are compatible with Amazon Alexa and Google Home voice assistants to control your home with your voice or to create practical scenarios useful to simplify and automate your daily routine.

When your hands are full you won't have to access the application; your voice will be enough to turn on your lights or raise your shutters!









Download the App HeySmart





















Make your home smart create connected scenarios in between our automation, security and lighting items.

Find out this logo



on isnatch & ON products... LET'S CONNECT!



#### **VIDEO RESOLUTION**

Means the video quality through which the images are recorded





Able to listen to the audio, or if 2 Way, even talk through the camera







#### **MOVEMENT DETECTION**

Means that the device has a built-in PIR detector for an prompt motion recording or digital analysis





#### **IP PROTECTION**

Shows the device is suitable for external and indoor use and the protection grade





#### **NIGHT VISION**

Able to operate at night, in black and white or colours





#### **MEMORY CARD**

Means the maximum capacity of the Memory card (not supplied) the device can support



Means that the device can record videos following



the detected movement



VIEWING ANGLE

**BATTERY** 

#### **ONVIF**

The device supports standard ONVIF rules and can be integrated to professional CCT security systems



#### **OPEN WINDOW**

The device is able to open door locks and electric gates



#### **HEATING/COOLING**

The device can control heating and cooling units.



#### **BOOST**

Quickly heating function



#### **OPEN WINDOW**

The function detects whether a window is open while the heating is running



#### **TEMPERATURE AND HUMIDITY SENSOR**

Allows to maintain a comfortable climate automatically, optimizing energy saving





**MOTORIZATION AND PATROL** 

ted lasting life in favourable conditions

Shows the maximum viewing width

play with pre-set movements

Extend the angle view by rotating the camera both in horizontal and vertical; the patrol function allows to

If the device is battery powered, shows the estima-

#### **PLANNING**

Set specific temperatures for different times of the day and adapting them to the days of the week



#### **MULTICOLOR**

Possibility of choosing between millions of colors in a single device.



#### LIGHTING ANGLE

Means the angle the light beam enlights the environment.



#### **MULTICOLOR AND WHITE**

Possibility of choosing between millions of colors in a single device, including white light.



#### **INTENSITY ADJUSTMENT**

Possibility to adjust the brightness from 0% to 100%.



#### **COLOR TEMPERATURE CHANGE**

Possibility of choosing the color temperature according to your needs, from white cold to natural and finally warm.



#### MAGNETIC

Means the mounting method.





#### **GOOGLE HOME AND AMAZON ALEXA**

Compatibility with Google Home and Alexa voice assistants allows you to integrate the devices with daily habits and it is also possible to see them on devices compatible with screen.

# INDEX

VIDEO SURVEILLANCE pag. 6
HeyCam Propag. 9
HeyCam Pluspag. 10
HeyCam Minipag. 11
HeyCam BullPropag. 12
HeyCam Move Propag. 14
HeyCam Free-spag. 18
HeyCam Free+pag. 21
HeyCam Move4Gpag. 24
HeyNVRpag. 27
HeyVideoDoorpag. 29
HeyOpenpag. 31
HeyBoxpag. 34
HeyDoorpag. 36
HeyAlarmpag. 38
HeySense - HeyMovepag. 42
HeyWaterpag. 43
HeyGas - HeySmokepag. 44
THERMOREGULATIONPAG. 46
HeyThermo+pag. 47
HeyThermo-Freepag. 50
HeyThermopag. 52
HeyThermo-Rkitpag. 54
HeyWiri+pag. 56
AUTOMATIONPAG. 57
HeyPlug16pag. 58
HeyMultypag. 59
HeyPlugOUTpag. 60
HeyGardenpag. 61

HeyRoll+....pag. 62

HeySwitch+pa	ag. 63
HeyRelèpa	ag. 64
HeyGatewaypa	ag. 65
LIGHTINGPAG	a. 66
HeyStrippa	ag. 70
HeyControllerpa	ag. 72
HeyTriac Dimmerpa	ag. 73
HeyFloodpa	ag. 74
HeyPanelpa	ag. 76
HeyLightpa	ag. 77
HeyRingpa	ag. 78
HeyTablepa	ag. 79
LIGHT BULBSPAG	a. 80
FILAMENT	
HeyBulb - HeyGlobe CCTpa	ag. 81
HeyCandle - HeySpot CCTpa	ag. 82
HeyBulb - HeyControl CCTpa	ag. 83
LED	
HeyCandle - HeyBulb RGB+CCTpa	ag. 84
HeyBulb - HeySpot RGB+CCTpa	ag. 85
HeyGlobe G95 - G120 RGB+CCTpa	ag. 86
HeyColor+ RGB+CCTpa	na 87





# STAY SAFE, STAY CONNECTED!







## Hey Cam Pro

MOTORIZED HD-2K
INDOOR WI-FI CAMERA

#### Your safety always comes first.

HeyCam Pro is the ideal choice for those seeking excellence in security, a complete product, designed to offer above-average performance and advanced features. You'll be amazed by the details thanks to 2K video resolution and 360° movement; you will have clear and detailed images even in the dark up to 10 meters to always ensure precision and safety without limits. Interact instantly with your loved ones or lovely pets with the Talk&Listen function, communicate and listen in real time to know what is happening in the environment with super quality. Records 24/7 on schedule or on motion detection, offering total flexibility. Store videos on micro SD, Cloud server (optional) or on smartphone.

	Cod. 67.6894.21
Video resolution	2K
Image Sensor	3Mpx CMOS
• Lens	3,6mm Fixed
Viewing angle	90°
• Audio	Bi-directional
Night Vision	B/W up to10m
• IR LED	6 Infrared
Motion	Digital Tracking
Slot micro SD	Yes (Max 128GB)
Move Function	PanTilt (355° / 90°)
Connection	Wi-Fi 2,4GHz
• ONVIF	Compatible
Power supply	5Vdc / 1,5A
IP Grade	IP20
Material	
Dimensions	90x120 mm
Weight	190 g

#### **PLUS**

- RESOLUTION: 2K video, create sharp and smooth videos.
- PRIVACY: Turn off the video whenever you want, always guaranteeing privacy and comfort.
- SOUND DETECTION: Get instant notifications when the microphone detects noise.
- SURVEILLANCE Two way audio, with Talk&Listen function.









2048 X 1080P













#### Surveillance without Compromise.

ISPOTCH

HeyCam Plus: with a pretty design, compact and easy to install. Its advanced performance makes it ideal for those looking for a high-quality video surveillance camera, safely and easily. The Full HD video resolution and 360° movement guarantees clear and sharp images, even in night vision up to 8 meters, ensuring precision and safety even while you rest.

With the Talk&Listen function, communicate and listen in real time, interacting instantly with your loved ones or lovely pets. Records 24/7 on schedule on motion detection, offering total flexibility. Store videos on micro SD, Cloud server (optional) or smartphone.

	Cod. 67.6894.20
Video resolution	1080p
Image Sensor	2Mpx CMOS
• Video	3,6mm Fixed
Viewing angle	90°
• Audio	Bi-directional
Night Vision	B/W up to 8m
• IR LED	6 Infrared
Motion	Digital Tracking
Slot micro SD	Yes (Max 128GB)
Movement	PanTilt (355° / 90°)
Connectivity	Wi-Fi 2,4GHz
• ONVIF	No
Power supply	5Vdc / 1,5A
IP Grade	IP20
Material	Plastic
Dimensions	
Weight	190 g

#### **PLUS**

- RESOLUTION: Full-HD video.
- PRIVACY: Turn off the video whenever you want, always guaranteeing privacy and comfort.

**MOTORIZED FULL-HD 1080P** 

INDOOR WI-FI CAMERA

- SOUND DETECTION: Get instant notifications when the microphone detects noise.
- SURVEILLANCE: Two way audio, with Talk&Listen function.



















#### **MOTION TRACKING**





#### Your secret look.

HeyCam Mini, with its ultra-compact design of just 35mm, fits harmoniously into tight spaces or where the discretion is the key, blending in with the surrounding environment. The HD optic guarantees clear vision even at night up to 10 meters. The rechargeable backup battery maintains operation in the event of a blackout or in case of Wi-Fi network failure, for up to 3 hours in continuous recording. Listen and record ambient audio thanks to the built-in microphone. Work 24/7 on schedule on motion detection, with a panoramic view of up to 120°. Videos can be stored on micro SD, Cloud (optional) or smartphone.

	Cod. 67.6894.03
Video resolution	720p
Image Sensor	1Mpx CMOS
• Video	2,8mm Fixed
Viewing angle	120°
• Audio	One Way
Night Vision	B/W up to 10m
• IR LED	4 Infrared
• Motion	Digital
Slot micro SD	Yes (Max 64GB)
Movement	No
Connectivity	Wi-Fi 2,4GHz
• ONVIF	
Power supply	5Vdc / 1A
• IP Grade	
Material	
Dimensions	
Weight	

#### **PLUS**

- MINI SIZE: Stays in 2 fingers, easy to hide everywhere.
- NIGHT VISION: Record in the dark without being noticed, the LEDs remain invisible even at night.

INDOOR WI-FI CAMERA

ONE WAY AUDIO: Listen with the ambient microphone; the absence of a speaker makes it even more discreet.

#### **H3**720P


























#### Trustable, Strong, unstoppable!

HeyCam Bull Pro, the fixed metal camera for outdoors, with anti-vandal structure and very high 2K video resolution. With its traditional bullet shape, it is the right choice for home and professional systems.

A pixel change in the video will be digitally identified as a motion, the detection system will send instant notifications to your mobile device whenever an image alteration or suspicious motion is detected.

With the Talk&Listen function, communicate and listen in real time, intervening instantly. Records 24/7, on schedule or on a motion detection, ensuring continuous surveillance. Store videos on micro SD, Cloud server (optional) or smartphone.

	Cod. 67.6894.24
Video resolution	2K
Image Sensor	3Mpx CMOS
• Video	3,6mm Fixed
Viewing angle	110°
• Audio	Bi-directional
Night Vision	B/W up to 20m
• IR LED	4 Infrared
Motion	Digital
Slot micro SD	Yes (Max 128GB)
Movement	No
Connectivity\	Wi-Fi 2,4GHz / RJ45 LAN
• ONVIF	Compatible
Power supply	12 Vdc/ 1A
IP Grade	IP66
Material	Metal
Dimensions	180x65x65 mm
Weight	600 g

#### **PLUS**







SOUND DETECTION: Get instant notifications when the microphone detects noise.

























# MOTORIZED HD-2K OUTDOOR WI-FI CAMERA

#### Your personal Sentinel.

HeyCam Move Pro: the perfect solution for monitoring your outdoor spaces without leaving hidden corners. 2K video resolution during the day and also at night in color, up to 10 meters, combined with 360° movement, offers complete surveillance.

White LEDs illuminate the field of vision, acting as a bright spotlight for extra deterrent. With the Talk&Listen function, can communicate and listen in real time.

Records 24/7, on schedule or on a motion detection, ensuring continuous surveillance. Store videos on micro SD, Cloud server (optional) or smartphone.

# Video resolution 2K Image Sensor 3Mpx CMOS Video 3,6mm Fixed Viewing angle 110° Audio Bi-directional Night Vision Color & B/W up to 30m IR LED 6 White + 6 Infrared Motion Digital Tracking Slot micro SD Yes (Max 128GB) Movement PanTilt (355° / 90°) Connectivity Wi-Fi 2,4GHz / RJ45 LAN ONVIF Compatible Power supply 12 Vdc/ 1A IP Grade IP65 Material Plastic Dimensions 170x150 mm Weight 360 g

#### **PLUS**

- RESOLUTION: 2K video, create sharp and smooth videos.
- PRIVACY: Turn off the video whenever you want, always guaranteeing privacy and comfort.
- SOUND DETECTION: Get instant notifications when the microphone detects noise.
- WHITE LEDS: Useful for color night vision and as an activated spotlight from App.





**PAN H 355°** 





















#### **BLACK-OUT..... STAY ONLINE**

#### **Mini UPS**

It is an essential emergency device, designed to keep your equipment, such as routers or cameras, operating and online. It works automatically in case of no current. Trustable, efficient and easy to install.





POWERSAFE LITE
MINI DC UPS 12V & USB

Cod. 59.6317.70



Cod. 59.6317.75









WWW.GBCONLINE.IT

# VIDEO SURVEILLANCE CABLE FREE!

**OUTDOOR WIRELESS BATTERY CAMERAS** 







Hey Cam Free-s

Hey Cam Free+

Hey CamMove46






#### Freedom is in your hands.

Compact, small, powerful and wireless camera! You can place HeyCam Free-S wherever you want, even in the most difficult places. It connects to the internet via Wi-Fi, for immediate and safe access to the App wherever you are.

The Full HD video resolution even at night up to 5 meters, captures bright and clear details. The integrated PIR sensor reduces false alarms and preserves the battery for up to 3 months without charging; thanks to motion detection up to 10 meters, the camera reacts promptly, recording automatically short video or scheduled, on the micro SD or on the Cloud Server (optional) or on the smartphone. With the Talk&Listen function, you can communicate and listen in real time, via speaker and integrated microphone.



#### **PLUS**

- RESOLUTION: Full HD video.
- SURVEILLANCE: Two way audio, with Talk&Listen function.
- SOUND DETECTION: Get instant notifications when the microphone detects noise.
























**SOLAR PANEL (OPTIONAL 67.6894.51)** 

# **ENERGY**SAVING

WITH OPTIONAL SOLAR PANEL THE BATTERY LASTS MORE THAN 6 MONTHS



	Cod. 67.6894.50
Video resolution	1080p
Image Sensor	2Mpx CMOS
• Video	3,6mm Fixed
Viewing angle	110°
• Audio	Bi-directional
Night Vision	B/W up to 5m
• IR LED	6 Infrared
Motion	PIR up to 10m
Slot micro SD	Yes (Max 64GB)
Movement	No
Connectivity	Wi-Fi 2,4GHz
• ONVIF	No
Power supply	Battery / MicroUSB / Solar
Battery Capacity	5200 mAh
Solar Panel	Optional
• IP Grade	IP66
Material	Plastic
Dimensions	47x48x100 mm
Weight	180 g

# SOLAR ENERGY QUICK INSTALLATION GUARANTEED!






## Hey Cam Free+

MOTORIZED FULL-HD OUTDOOR
BATTERY WI-FI CAMERA
WITH SOLAR PANEL POWERED







#### Lift up your security with HeyCam Free+.

Specifically designed for outdoors and for those who have Wi-Fi access but with difficulties in reaching power supply. Wi-Fi connection and power supply through integrated battery guarantee up to 4 months of autonomy, extended thanks to the supplied 6W solar panel.

The Full HD video resolution with dual night vision modes, both infrared and color, offers complete surveillance during the day and also at night up to 20 meters, with 360° movement.

The white LEDs also light up the field of vision, acting as a bright spotlight for an extra deterrent.

The integrated PIR sensor with detection up to 10 meters allows the camera to react to movement promptly and without false alarms, recording short clips automatically or on schedule on the micro SD or on the Cloud Server (optional) and sending immediate push notifications.

With the Talk&Listen function, you can communicate and listen in real time, via speaker and integrated microphone.























#### **PLUS**








SURVEILLANCE: Two way audio, with Talk&Listen function.



SOUND DETECTION: Get instant notifications when the microphone detects noise.



## WIRES ARE NOT NEEDED FOR THE INSTALLATION


CABLE FREE!


# Video resolution 1080p Image Sensor 2Mpx CMOS Video 4mm Fixed Viewing angle 80° Audio Bi-directional Night Vision Color & B/W up to 20m IR LED 4 White + 2 Infrared Motion PIR up to 10m with tracking Slot micro SD Yes (Max 64GB) Movement PanTilt (355° / 90°) Connectivity Wi-Fi 2,4GHz ONVIF No Power supply Battery / MicroUSB / Solar Battery Capacity 8000 mAh Solar Panel 6W IP Grade IP66 Material Plastic Dimensions 210x180x120 mm Weight 830 q

#### PIR TRACKING DETECTION

When the sensor detects a moving subjects, the camera will follow them in all movements.








## Hey CamMove4G

MOTORIZED FULL-HD OUTDOOR

#### BATTERY 4G CAMERA WITH SOLAR PANEL POWERED



You can install it anywhere, from the garden to the house in the mountains, and control everything directly from your smartphone.

Thanks to the 4G SIM slot, it connects independently to Internet, while the integrated rechargeable battery offers up to 2 months of battery life, and if that's not enough, thanks to the included panel it is possible to extend its duration even further.

Even in shaded areas, the 2 meter long cable allows you to find the ideal spot to maximize sun exposure. Full HD video resolution during the day and also at night in color up to 10 meters, combined with 360° movement offers complete surveillance.

The camera uses an advanced built-in PIR sensor to detect motion, then sends push notifications ensuring precise and trustable recordings only if needed. Records 24/7, on schedule or on a motion detection, ensuring continuous surveillance.

Store videos on micro SD, Cloud server (optional) or manually on smartphone memory.

#### I PLUS

- NANO SIM 4G SLOT: 4G connection via SIM suits even the most rural places.
- RESOLUTION: Full HD video.
- SURVEILLANCE: Two way audio, with Talk&Listen function.
- WHITE LEDS: Useful for color vision even at night.





4G


























	Cod. 67.6894.10
Video resolution	1080p
Image Sensor	2Mpx CMOS
• Video	3,6mm Fixed
Viewing angle	110°
• Audio	Bi-directional
Night Vision	Color & B/W up to 10m
• IR LED	4 White + 2 Infrared
• Motion	PIR up to 10m with tracking
Slot micro SD	Yes (Max 64GB)
Movement	PanTilt (355° / 90°)
Connectivity	4G LTE (nano SIM)
• ONVIF	No
Power supply	Battery / MicroUSB / Solar
Battery Capacity	15600 mAh
Solar Panel	10W

#### **PIR TRACKING DETECTION**

When the sensor detects a moving subjects, the camera will follow them in all movements.



## TRUSTABLE PARTNER FOR YOUR BUSINESS



HeyNVR

**SMART WI-FI NVR KIT** WITH 2 WIRELESS CAMERA

#### Cod. 67.6839.70

	Cod. 67.0009.70
	2x 2Mpx 2,8mm Fixed
	18 IR LED up to 20m
Channels	
	Wireless
Video outputs	1x HD-Port, 1x VGA
• Video encoding	H.265
• Supported video sig	nalsWireless 4*1080p/720p
	1080p
Maximum video outp	out resolution1920×1080 pixel
Recording mode	H24, Scheduled, Motion
Frame Rate	60 fps
	Video
Playback	Simultaneous up to 4 channels
Playback resolution	1920×1080 pixel
Network protocols	IP, DHCP, HTTP, DDNS, NTP, P2P
• Cloud	HeySmart
Notifications	Push
• Interfaces	2x USB 2.0, 1x RJ45
	CHROME, FIREFOX
	No
	3,5" HDD max. 4TB (not included)
	USB, APP
	12Vdc - 2A
	oly4x12Vdc - 1A
	5 W
	ıre10 ~ +55 °C
	254x42x213 mm

#### Smart security, no limits surveillance.

HeyNVR is a 4-channel wireless SMART video recorder, plug&play, which allows remote management and viewing via the HeySmart APP.

The kit includes two plug&play wireless outdoor metal cameras and a wireless NVR with FULL HD recording in continuous mode, on motion detection or on time programming. The kit is expandable up to 4 cameras (code 67.6839.71) to monitor all the necessary spaces.

HeyNVR connects to the router via RJ45 and sends push notifications in the event of an alarm via the Hey-Smart app. Furthermore, it is possible to view one or all the cameras live at the same time, take photos, record videos and view the recordings in memory.

Equipped with H.265 encoding software for high resolution images, which are compressed, taking up little space on the hard disk and ensuring more memory for recordings (HDD 3.5" max 4TB not included).

Backup is available via USB or HeySmart APP With a smart design and two directional antennas, HeyNVR ensures extended coverage and camera positioning flexibility, up to a maximum distance of 100m as the crow flies.

#### **PLUS**



- PLUG & PLAY: Pre-configured cameras to make installation easier and faster.
- **HD-PORT:** Easily connect HeyNVR to your monitor or TV via HD cable.
  - **HARD DISK:** H.265 encoding software, HeyNVR optimizes hard disk space, providing more memory for your recordings.



DVR Weight ......0.4 Kg















# ANSWER WHEREVER YOU ARE!





# **HeyVideoDoor**

**SMART WI-FI VIDEO DOORPHONE** PLUG&PLAY 4 WIRES





#### The smart video Doorphone.

HeyVideoDoor is a video doorphone, that can be connected to the Internet (Wi-Fi + RJ45) and controlled remotely. Perfect for villas, private houses, commercial activities and offices. Consisting of a 7" touch monitor and a FULL HD vandal-proof camera with night vision, it is expandable up to 4 monitors and 2 external units. HeyVideoDoor offers advanced features such as motion detection with video recording, recording of messages in case of absence (directly on micro SD), multimedia functions and audio profiles (home, do not disturb, away). Receive instant notifications on your smartphone when your guest rings the doorbell, allowing you to answer and open the door even when you're not at home, offering you convenience and total control directly from your smartphone.

#### **PLUS**

- RESOLUTION: Full HD video.
- SURVEILLANCE: Two way audio, with Talk&Listen function.
- MULTIMEDIA: Monitor can play sounds and display photos directly from micro SD card, creating a welcoming atmosphere with ambient or background sounds.
- CCTV: Wired input for 2 analog cameras up to 2MP resolution.
- EXPANDABLE: Up to 4 monitors and 2 external drives.
- DOUBLE RELAY: Double independent dry contact relay (NO/NC) for electric lock or control unit of an electric gate.

# Cod. 67.6884.45 • Screen size .7" • Screen resolution 1024x600 pixels • External unit resolution .HD • Wi-Fi: 2.4 GHz • LAN connection RJ45 • Monitor connection 4 Wires • Slot Micro SD Yes (Max 128Gb) • Night Vision 3 x IR LED • Distance Monitor to Ext. unit Max 50 m • Operating temperature -40 ~ +50 °C • Monitor power supply 15V = 1A • Outdoor unit power By the monitor • Monitor dimensions 190x120x20 mm • External unit dimensions .42x130x30 mm





















# MANAGE YOUR GUESTS' ENTRANCE

IDEAL FOR B&Bs AND SHORT RENTALS





#### Open the doors to smart security!

HeyOpen is your professional and intelligent tool for access control, both for private homes and accommodation facilities like B&Bs or companies. HeyOpen connected to an electric lock, offers various dedicated functions guaranteeing maximum flexibility both remotely via the HeySmart app and on site via PIN codes or proximity cards.

With the HeySmart app, you can view your complete login history with dates, times and entry methods used; add or remove standard and admin users, assign codes and cards, and set access rules for specific times and days for up to 200 users.

It's perfect for your B&B. With HeySmart, you can to generate disposable codes or codes with timed validity, simplifying the check-in and check-out process for your guests without the need to use physical cards or require registration in the app.

HeyOpen is resistant, with a vandal-proof metal structure, it is also perfectly suited to installation in outdoor environments.


The keyboard is soft-touch, backlit and equipped with an internal anti-tamper buzzer.

With the built-in doorbell button, you will receive open request notifications. HeyOpen is equipped with a dry contact relay (NO-COMNC), which allows you to connect the contacts of the gate control units or automations in a simple and parallel way.

Even in lack of a Wi-Fi connection, it works as a local



reader via PIN or card, maintaining the settings memorized to ensure operational continuity. Compatibility with the Amazon Alexa voice assistant adds a level of convenience and security, in fact you can open the door with your voice, but only after setting a voice PIN to ensure maximum protection.



- WIEGAND: Compatibility with Wiegand interface for maximum security.
- WIRED BELL: Wired input for integration of the external bell.
- **DUAL POWER SUPPLY:** Also in AC Power for continuous reliability.
- PIN ....... 6 Digits Wired contacts .....Relay, exit button, doorbell, Wiegand
- WI-FI ......2.4 GHz
- Max Users by App......200
- Operating temperature .....-10 °C ~ +50 °C Dimensions......165 x 44 x 22 mm
- Power supply ......12 ~ 18 Vdc



#### Scan QR Code for accessories





**GUEST&USER MANAGEMENT** 



**ACCESS TIME CONTROL** 




















HeyBox is a Smart safety storage box with vandal-proof metal body, remotely controlled and battey powered. It is possible to manage it locally via Bluetooth or if connected to the Wi-Fi Gateway (supplied), you can do it wherever you are. Setting up is simple, once you secured the keys or any other object you need, just set a code and provide it to your guest for a smarter check-in and check-out of your business.

With the HeySmart app, you can fully control authorized users and their access codes, managing them with expiration dates and time.

	Cod. 68.6810.20
HEY BOX	
Power supply	4 x AAA batteries (not included)
Operating voltage	4~6 Vdc
Battery type	Alkaline, lithium or rechargeable
• Emergency power inpu	tUSB Type-C emergency
Material	Aluminum alloy + ABS
	1 year
	IP X5
	10°C ~ +50°C
	105 x 145 x 55 mm
Weight	650 g
GATEWAY:	
• Power	5V 1A
	2,4GHz
	Support local use
	Up to 10 devices
	For internal use only

#### **PLUS**

- VANDAL PROOF: Vandal-proof and outdoor resistant metal body.
- TIMED CODES: Set a different code for each user, for the time you need.
- **INSTALLATION:** Wall mounting, better in safe and hidden areas for greater security.



GUEST&USER MANAGEMENT



ACCESS TIME CONTROL













#### SMART WI-FI PEEPHOLE VIEWER

FOR ARMORED DOORS













Cod. 67.6884.70



• Power	Battery / TypeC
Battery	5000mAh
Battery      Display	4,3" IPS
MicroSD	
• Audio	Bi-directional
Camera resolution	FULL HD 1920x1080p
Image sensor	2MP CMOS
Angle of view	
Night Vision	
Motion detection	Microwave radar
• Motion detection range	Up to 5m
Recording mode	Motion detection / Manual
• Wi-Fi	2,4GHz
Door thickness	30 ~ 110 mm
Peephole dimension	15 ~ 50 mm
Camera material	Zinc alloy
• Camera outdoor diameter	32 mm
Monitor dimension	116 x 91 mm

#### Your security window.

HeyDoor is more than a peephole for armored doors: it is an intelligent Wi-Fi security system that does not require external power, it runs on (rechargeable) batteries.

A large internal display allows you to clearly see who is in front of the door clearly and from your smartphone.

The HeyDoor camera structure is in metal with small dimensions and its design is easy to hide.

Full HD resolution and automatic night vision capability ensure always clear vision. Thanks to the highly reliable Radar sensor it detects movement up to 5 meters, automatically recording the video of the event on a micro SD card and sending instant notifications via the HeySmart app. Furthermore, you can also view the live video, access the recordings made and also turn off the sensor when don't want to be disturbed.

#### **PLUS**

- **DISPLAY:** Clear View HD resolution 4.3 inches
- NIGHT VISION: Record in the dark without being noticed, LEDs remain invisible even at night.
- SURVEILLANCE: Two way audio, with Talk&Listen function
- CAMERA: It blends in completely with the traditional peephole without noticing the difference.
- **INSTALLATION:** Quick and simple, brackets and screws are supplied.









WI-FI + GSM

















#### Your home safe, connected to tranquility.

HeyAlarm is the ideal Wi-Fi smart alarm solution that adapts to all your needs.

Our kit includes everything you need for quick installation: central panel with keypad and display, magnetic door and window sensors, a PIR motion sensor and a keychain remote control.

It is Plug&Play, therefore ready to use as soon as you fix it to the wall. By connecting to Wi-Fi, you can easily configure the system via the HeySmart app and manage alarm or maintenance notifications.

To feel safer, insert a SIM to receive calls and SMS in case the internet doesn't work. In the event of an alarm,

#### **PLUS**













In the event of an alarm, you can activate not only the internal siren but also the external one if configured; HeySmart sends a notification to all users also dial an emergency call to the owner, followed by an alarm SMS, even in the event of Wi-Fi failure via the SIM card.

In the event of a power failure, HeyAlarm warns you, continuing to guarantee safety for up to 8 hours thanks to the backup batteries.

Increases 360° security, expandable up to 10 remote controls and 60 accessories configurable through the HeySmart app.

You can also share this controlling system via smartphone, with your family and roommates.

HeyAlarm is also compatible with Alexa and Google Home voice assistants.

	Cod. 67.6832.55
Power supply	12V <del>=</del> 1A
Battery	2x 3,7V 800mAh
Battery life	Up to 8h
GSM Frequency	850 / 900 / 1800 / 1900 MHz
Standard Wi-Fi	IEEE 802.11b/g/n
Wi-Fi frequency	2,4 GHz
• Transmission frequency	433,92 MHz
• Radio range (open area)	80 m
Integrated siren	95 dB
Operating temperature	10 ~ +55 °C
Related humidity	≤ 80%
Dimensions	188x125x25 mm
Weight	0,87 kg
• Color	White

## **EXPAND THE KIT**WITH ACCESSORIES



#### **REMOTE CONTROL** (Cod. 67.6832.61)

Additional/spare radio control. Anti-theft remote control for quickly arming and disarming the system, with additional functions such as Home mode and SOS. Equipped with integrated anti-tamper tamper for greater security. Compatible with HeyAlarm (67.6832.55).

#### DOOR/WINDOW SENSOR (Cod. 67.6832.67)

Magnetic sensor for doors and windows with spacers and double-sided fixing tape included for easy installation. Equipped with integrated anti-tamper tamper for additional protection. Compatible with HeyAlarm (67.6832.55).

#### INDOOR PIR (Cod. 67.6832.71)

Indoor PIR motion sensor with PET IMMUNE technology, designed to prevent false alarms caused by the presence of pets (weighing less than 25 kg). Includes a built-in anti-tamper tamper system to ensure security. Compatible with HeyAlarm (67.6832.55).

#### **OUTDOOR PIR** (Cod. 67.6832.73)

External motion sensor. Equipped with PET IMMUNE system to avoid false alarms from pets under 20 kg. Includes anti-sabotage tamper and anti-blinding system. Complete with wall support. Compatible with HeyAlarm (67.6832.55).

#### INDOOR SIREN (Cod. 67.6832.84)

Indoor siren, powered by 220V with internal backup battery. Wireless connection to the alarm control panel. Possibility of installing multiple sirens on the same system. The audible alarm, with a 95dB speaker, is audible even from a distance.

Compatible with HeyAlarm (67.6832.55).

#### **OUTDOOR SIREN** (Cod. 67.6832.85)

Outdoor siren, battery powered with charging via solar panel. Wireless connection to the alarm control panel. Equipped with built-in anti-sabotage tamper and possibility of installing multiple sirens on the same system. The audible alarm, with a 100dB speaker, is audible even from a distance. Compatible with HeyAlarm (67.6832.55).

#### OUTDOOR SOLAR SIREN (Cod. 67.6832.82)

Outdoor siren, powered by 12Vdc with internal backup battery. Wireless connection to the alarm control panel. Equipped with built-in anti-sabotage tamper and possibility of installing multiple sirens on the same system. The audible alarm, with a 95dB speaker, is audible even from a distance.

### Hey Sense

**SMART WI-FI** DOOR/WINDOW SENSOR







HeySense is a battery-powered Wi-Fi smart magnetic sensor, ideal for monitoring the opening and closing of doors and windows.

Thanks to the HeySmart app, you will receive instant push notifications on your smartphone whenever an opening or closing is detected. Notifications are fully customizable through the app, allowing you to receive alerts for opening only, closing only, low battery alerts, or both. Additionally, HeySense can be integrated with other smart devices to create custom automations. For example, you can configure it to turn on a light when a door is opened or to turn off the heating if a window is opened.



	Cod. 67.6800.67
Power supply	2x AAA 1,5V (not included)
• Standby consumption	<45 uA
• Consumption in alarm	<130 mA
• Wi-Fi	2.4GHz
• Max contact distance	<15 mm
• Operating temperature	0°C ~ +45°C
• TX dimensions	70x21x24mm
Magnet dimensions	41x18x15mm



### Cod. 67.6800.61 Battery power supply......2x CR123A (included) USB power supply ......5Vdc ·

Dimensions......68x56x56 mm

### Hey Move

**SMART WI-FI** PIR SENSOR









Hey Move is a battery-powered Smart Wi-Fi PIR sensor, designed to detect movement, tampering or temperature changes. Thanks to the HeySmart app, you will receive instant push notifications on your smartphone whenever motion is detected. You will be able to integrate HeyMove with other devices in the HeySmart world to create personalized scenarios and control it remotely wherever you are. For example, you can control the lights when the sensor detects movement, or lower the shutters when a selected temperature is reached.

### Hey Water

SMART WI-FI ANTI-FLOOD SENSOR

FOR INDOORS












Hey Water is a battery-powered Smart Wi-Fi flood sensor, designed to detect the presence of water on hard or soft surfaces, such as floors and carpets. It is particularly suitable for basements, kitchens and bathrooms. When water creates conduction between the two detection probes, HEY WATER activates the internal buzzer and sends a notification to the Hey Smart app. It is recommended for monitoring environments where there are water-sensitive equipment, such as washing machines, water heaters, dishwashers, sinks and humidifiers.


### 

Cod. 67.6800.75











SOLARLEDPRO - NIGHTLED - NIGHTUNE - NIGHTGUARD - FLASH48SPECIAL



### HeyGas

### SMART WI-FI METHANE GAS DETECTOR









#### Cod. 67.6800.78

- Operating temperature .....-10 + 55°C
   Umidità operativa....-<95%RH (non-condensing)
- Weight.....1

HeyGas is an innovative Wi-Fi power-powered methane gas leak detector, equipped with an optical-acoustic signaller and a system for sending push notifications via the HeySmart app. Thanks to the integrated high sensitivity sensor, HEY GAS is able to detect the dangerous concentration of methane gas. If detected, it immediately activates the internal siren and sends push notifications to the HeySmart app via the user's Wi-Fi line, ensuring timely alert in the event of an emergency. Furthermore, the device has an auxiliary output for managing a valve (optional), allowing the gas supply to be blocked in case of emergency. This auxiliary output can also be monitored and managed remotely via Wi-Fi with the HeySmart app.

### **HeySmoke**

#### SMART WI-FI SMOKE DETECTOR









HeySmoke is a Smart Smoke sensor, suitable for homes and offices, working wih photoelectrical technology for greater sensitivity in detecting dangers. HEY SMOKE is battery powered, can be installed in any room (with the exception of the bathroom). In case of emergency, it emits a powerful warning sound (about 85dB) and sends a push notification to the HeySmart app. The flashing LED ensures immediate visibility even in emergency situations. Installation should be done in compliance with local regulations.



#### Cod. 67.6800.76

• Power3Vdc (1x (	CR123A / CR17335 LITHIUM)
	LED indicator
• Sound alarm signal	Beep Buzzer
• Sound level	85dB (at 3m straight ahead)
• Wi-Fi band of frequency	2,4 GHz
Battery life	Up to 2 years
• Working temperature	0°C to +45°C
• Installation	Wall surface / Ceiling
Dimensions	ø 86 x H34.5mm







# PROGRAM THE RIGHT TEMPERATURE UPON YOUR RETURN





### Hey Thermo+

**SMART WI-FI** THERMOSTAT













#### **KEY FEATURES**



#### SUMMER REVERSAL

You can easily reverse the thermostat's operation via the app or touch panel to activate cooling systems during the warmer months.



#### ANTIFREEZE

Automatically activates antifreeze mode when it detects minimum temperatures to protect pipes from corrosion or freezing.



#### **HOLIDAY MODE**

Set a default temperature for a specific period (up to 30 days) without changing the normal schedule. Useful for saving energy and find a comfortable return at home.



#### CHILD/GUEST LOCK

Through the app or panel, you can activate the panel lock to prevent accidental changes. This function is also useful to prevent guests or external staff from adjusting the temperature without authorization.



Cod. 49.6830.35 - BLACK



Cod. 49.6830.34 - WHITE


















Cod. 49.6830.34 White / Cod. 49.6830.35 Black	
Power supply	90 ~ 240V
Operating temperature	+5 ~ +35 °C
Accuracy	0,5°C
Passive relay	Max 5A
• WI-FI	2.4GHz
Installation	Wall mount on box 503
Dimensions	130x90x29 mm




### Take comfort to the next level

Smart Wi-Fi chronothermostat with backlit soft-touch panel. The installation is ideal for new generation apartments, it requires a 230V power supply and connects directly to the boiler wires; it is designed for direct mounting on the 503 box. Equipped with weekly programming, it allows you to precisely manage heating and cooling systems, including operation in cooling mode. It is possible to adjust the temperature both locally, using the soft-touch panel, and remotely via the HeySmart app on your smartphone. Compatible with voice assistants such as Amazon Alexa and Google Home.



## COMFORT FOR ALL HOMES







GATEWAY WI-FI

### HeyThermo-Free

BATTERY POWERED SMART WI-FI THERMOSTAT

















- INSTALLATION WITHOUT COMPLICATIONS: Thanks to battery operation and Wi-Fi connection, you avoid costs and expensive electrical interventions.
- ALSO SUITABLE FOR ROOMS, RENTAL APARTMENTS OR B&BS: Adjust the temperature for your guests or share temporarily access to HeyThermo+ via App.
- INTEGRATION: Integrate HeyThermo+ with other HeySmart devices to create customized home automation scenarios.

#### **KEY FEATURES**



#### **EXPANDABLE**

The gateway supports up to 15 thermostats, allowing independent management of the rooms. With the Hey-Smart app, you can manage your environments both independently and in a group.



#### SUMMER REVERSAL

You can easily reverse the thermostat's operation via the app or touch panel to activate cooling systems during the warmer months



#### ANTIFREEZE

Automatically activates antifreeze mode when it detects minimum temperatures to protect pipes from corrosion or freezing.



#### **HOLIDAY MODE**


Set a default temperature for a specific period (up to 30 days) without changing the normal schedule. Useful for saving energy and find a comfortable return at home.



#### CHILD/GUEST LOCK


Through the app or panel, you can activate the panel lock to prevent accidental changes.

Cod. 49.6830.40 White / Cod. 49.6830.41 Black	
THERMOSTAT	
Power supply	2x AA 1.5V
Operating temperature	+5 ~ +35 °C
Accuracy	0,5°C
Integrated sensor	NTC (10K) 1%
Passive relay	Max 5A
• Zigbee	3.0
• WI-FI	Via the supplied gateway
Installation	Wall mount on box 503
Dimensions	130x90x29 mm
GATEWAY:	
• Zigbee	3.0
• Wi-Fi	2,4GHz
Power supply	USB 5Vdc 1A



#### Total freedom, without wires

Take temperature control to the next level with HeyThermo-Free; a battery-powered SMART WI-FI thermostat with backlit soft-touch panel. It connects directly to the boiler wires and is designed for direct mounting on the 503 box, it does not require external power and replaces the traditional thermostat without any intervention. Equipped with weekly programming, it allows you to precisely manage heating and cooling systems, including operation in cooling mode. The dry contact relay makes it compatible with most boilers. Compatible with voice assistants such as Amazon Alexa and Google Home.



### SMART THERMOSTAT, **COMFORT** THAT **SAVES ENERGY**







SMART WI-FI THERMOSTAT















- COMFORT: The climate you want when you return, with the geolocation function and remote temperature control
- ALSO SUITABLE FOR ROOMS, RENTAL
  APARTMENTS OR B&BS: Adjust the temperature
  for your guests or share temporarily access to
  HeyThermo via App.
- INTEGRATION: Integrate HeyThermo with other HeySmart devices to create customized home automation scenarios.

#### **KEY FEATURES**



#### ANTIFREEZE

Automatically activates antifreeze mode when it detects minimum temperatures to protect pipes from corrosion or freezing



#### **HOLIDAY MODE**


Set a default temperature for a specific period (up to 30 days) without changing the normal schedule. Energy saving and comfort guaranteed.



#### CHILD/GUEST LOCK

Through the app or the panel, you can activate the key lock to avoid accidental changes. This function is also useful to prevent guests or external staff from adjusting the temperature without authorization.


	Cod. 49.6830.33
Power supply	90-240V~ 50/60Hz
Operating temperature	1-70°C
Minimum regulation differential	5-35°C
Accuracy	0,5°C
Passive relay	5A/240V
• Wi-Fi	2.4GHz
Installation	Wall mount on box 503
Dimensions	130x90x25 mm



#### App Control.

Smart WI-FI chronothermostat equipped with touch buttons and backlit display, for intuitive and practical control. It connects directly to the boiler wires and requires a 230V power supply, ideal for direct mounting on the 503 box.

Equipped with weekly programming, it allows you to precisely manage heating and cooling systems, including operation in cooling mode. It is possible to adjust the temperature both locally, using the soft-touch panel, and remotely via the HeySmart app on your smartphone. Compatible with voice assistants such as Amazon Alexa and Google Home.



### THE IDEAL TEMPERATURE IN EVERY ROOM









### HeyThermo-Rkit

SMART RADIATOR THERMOSTAT VALVE





















- **ENERGY SAVING:** The "Open" function detects a rapid drop in temperature and blocks the valve to avoid wasting energy.
- **EASY INSTALLATION:** Adapters included, no tools required to mount HeyThermo-R on the valve.
- INTEGRATION: Integrate HeyThermo with other HeySmart devices to create customized home automation scenarios.

#### **KEY FEATURES**



#### **BOOST FUNCTION**

To quickly heat the room, it opens the valve completely when necessary.



#### **EXPANDABLE**

Up to 15 valves. With the HeySmart app, manage environments individually or in groups



#### **ANTIFREEZE**

Automatically activates antifreeze mode when it detects minimum temperatures to protect pipes from corrosion or freezing



#### **HOLIDAY MODE**

Set a default temperature for a specific period (up to 30 days) without changing the normal schedule. Energy saving and comfort guaranteed




#### CHILD/GUEST LOCK

Through the app or the panel, you can activate the key lock to avoid accidental changes.

RADIATOR VALVE	Cod. 49.6830.00
Power supply	2x AA 1.5V (not included)
Operating temperature	+5 ~ +35 °C
Integrated sensor	NTC (10K) 1%
Zigbee	3.0
• WI-FI	By gateway
Dimensions	53x95 mm
Installation:	M30 x 1.5 mm
GATEWAY:	
• Zigbee	3.0
• Wi-Fi	
Power supply	USB 5Vdc 1A

#### Warm up and save

It is ideal for controlling home heating precisely and practically and adjusting it in each room to your liking; ideal for all systems with central heating. With soft-touch buttons and child lock function, it guarantees maximum safety. It is possible to activate the Boost function for immediate heat, while the integrated open window detection function optimizes energy consumption. It is possible to adjust the temperature both locally, using the soft-touch buttons, and remotely via the HeySmart app on your smartphone. Simple installation with M30 valve connection and adapters included. It is possible to control up to 15 valves with a single gateway. Compatible with voice assistants such as Amazon Alexa and Google Home.







- QUICK INSTALLATION: Using a USB connection and intuitive guidance in the app, pairing your remote control is simple.
- **EASY, FAST, SMART:** Your devices with remote control become smart, offering you remote control via the app and voice assistants.
- INTEGRATION: Integrate HeyThermo with other HeySmart devices to create customized home automation scenarios.

### HeyWiri+

SMART WI-FI UNIVERSAL IR REMOTE CONTROL

#### **KEY FEATURES**



#### INTEGRATED TEMPERATURE AND HUMIDITY SENSOR

Allows you to maintain a comfortable climate inside the room in a totally automatic way, also optimizing energy consumption.



#### 360° RANGE OF ACTION

Install the device mainly and manage all surrounding devices easily.







Power supply ...... 5V 1A (USB type C)

IR frequency......38KHz

IR Range...... Up to 10m (open area)

• WI-Fi ...... 2,4GHz

RH measure range ...... 0% RH ~ 99% RH

• Temperature accuracy .....+/- 1°C

RH accuracy +/- 5%



COD. 68.6810.05



### Make your IR remote controls SMART

HeyWiri+ is the ideal device to make your air conditioner smart, in a few simple steps and without the need for installation or building work, it allows you to adjust the temperature remotely through the HeySmart app; thanks to the integrated sensor, it is able to keep it constant automatically.

HeyWiri+ can replicate the signal of an infrared remote control, making even the TV or Hi-Fi system manageable remotely and being able to control up to 100 devices within its 360° range of action. Manage switching on, off and changes directly from the HeySmart App or with your voice.

#### **CONNECTION DIAGRAM**







#### 360° REMOTE CONTROL





## MAKE YOUR HABITS SMART



- **ENERGY SAVING:** Monitor consumption and turn off unused appliances.
- **DAILY COMFORT:** Simplify your daily routine, automatically managing activities from waking up in the morning to leaving the house.
  - **INTEGRATION:** Integrate HeyPlug16 with other HeySmart devices to create customized home automation scenarios.

### Hey Plug16

SMART WI-FI SOCKET

#### **KEY FEATURES**



Monitor and reduce energy consumption



#### WEEK TIMER E COUNTDOWN:

Program the socket for specific periods or weekly times according to your needs.



In case of network failure or in emergency, manage your device manually.















	COD. 68.6810.50
• Type	Smart Wi-Fi
• Plug	Schuko
Socket	Schuko
• Max load	3500 W
Voltage	250 V
• Switch	Yes
Connection	Wi-Fi 2,4GHz
Structure	Plastic








#### Smart Control, Easier Life!

With a maximum power of 3500W and a capacity of 16A, this socket adapts to your daily needs.

Connect HeyPlug16 to your home Wi-Fi and easily configure it via the HeySmart app to access all its functions. You can control electronic devices via smartphone, turn lamps and appliances ON and OFF, as well as set timers to automate daily operations. Activate the sending of notifications to monitor energy consumption and optimize home efficiency. Compatible with voice assistants such as Amazon Alexa and Google Home.



#### **KEY FEATURES**



#### SAFETY

Protection cells on each socket.



#### **TIMER AND COUNTDOWN**

Program the socket for specific periods or weekly times according to your needs.



#### **PHYSICAL BUTTON**

In case of network failure or in emergency, manage your device manually.




















	COD. 22.6853.10
	Smart Wi-Fi
Positions	3
Sockets	10-16-Schuko
• Plug	ITA16A
• Switch	Yes
	No
Max load	3500 W
Voltage	250 V
Connection	Wi-Fi 2,4GHz
Cable length	1.5 m
Cable section	3x1 mm²
Structure	Thermoplastic
IP Grade	IP20
Dimensions	220x55x32 mm

### Energy and control at your command!

Smart Wi-Fi power strip equipped with 3 italian universal plug sockets. Simultaneously control and manage the power of your devices remotely. With a total load capacity of up to 3500W, it easily integrates into your HeySmart home automation scenarios for automated control of the devices connected to it. Compatible with voice assistants such as Amazon Alexa and Google Home.

**ITALIAN POWER STRIP** 





#### **KEY FEATURES**

INDEPENDENT OUTPUTS

Give each one a name and manage them with Google or Alexa, activating or deactivating them simply with your voice.

POWER METER

Monitor and reduce energy consumption

#### PHYSICAL BUTTON:

In case of network failure or in emergency, manage your device manually.



















	COD. 68.6810.55
• Type	Smart Wi-Fi
Position	2
Socket	Schuko
• Plug	Schuko
Switch	Yes
Max load	4000 W
Voltage	250 V
Connection	Wi-Fi 2,4GHz
Cable length	0.13 m
Material	Thermoplastic
IP grade	IP44
Dimensions	105x185x37 mm

### Manage your outdoor spaces in Smart mode

With load power up to 2000W, it allows you to control your outdoor devices.

Connect HeyPlug Out to the power and easily configure it via the HeySmart app to manage irrigation systems, garden lights, decorative fountains, all by smartphone. The two independent sockets allow you to program ON and OFF, set timers and plan weekly actions, offering you flexibility and convenience.

Compatible with voice assistants such as Amazon Alexa and Google Home.



WATERPROOF, DUSTPROOF BOTTOM CUP



SWITCH STATUS LED LIGHT



SMART SOCKET

HANGING BUCKLE FOR WALL MOUNTING



- SUSTAINABLE SAVINGS: Weather synchronization avoids waste and guarantees efficiency.
- COMPATIBILITY: The supplied adapter and the standard connection make it compatible with the main taps.
- FLEXIBILITY OF USE: Battery powered, without connection wires.

### **Hey Garden**

SMART WI-FI GARDEN SPRINKLER

#### **KEY FEATURES**



#### PERFECT IRRIGATION

HeySmart receives weather forecasts in real time and HeyGarden adapts to optimize the irrigation



#### PHYSICAL BUTTON

In case of network failure or in emergency, manage your device manually via button or Bluetooth.















**GARDEN SPRINKLER (BLE)** 



#### COD. 68.6810.40

Wireless range	Up to 20m (open field)
Wireless protocol	BLE 2.4GHz
Faucet connection	3/4"
Operating temperature	+4°C ~ +45°C
IP rating	IP55
Power supply	4x AA 1,5V (not included)

#### **WI-FI GATEWAY**

• WI-FI	l2,4GHz
Wireless protocol	BLE
Operating temperature10°	°C ~ +45°C

• Power supply ......100-250Vac 50/60Hz

### Smart irrigation, no worries!

HeyGarden is the perfect solution for efficient, wastefree irrigation. With a standard ¾" faucet connection and included hose holder adapter, installation is quick and easy. It is battery operated and connects to your Wi-Fi gateway to control it by smartphone.

With the HeySmart app, you can manage to water up your garden or greenhouse directly from your smartphone by setting the timer or weekly programming. Compatible with voice assistants such as Amazon Alexa and Google Home.



- SUSTAINABLE SAVINGS: Manage opening and closing based on the weather, reducing heating or cooling energy consumption even when you are not at home.
- **DAILY COMFORT:** Simplify your daily routine, automatically managing activities from waking up in the morning to leaving the house.
- **INTEGRATION:** Integrate HeyRoll+ with other HeySmart devices to create customized home automation scenarios.

### Hey Roll+

#### **SMART WI-FI MODULE KIT** FOR ROLLER SHUTTERS

#### **KEY FEATURES**



#### 360° CONTROL

You can control the shutters via APP. In case of network failure, the system works independently with the remote control or via the UP and DOWN button (not included).



#### REMOTE CONTROL

Ideal for those who need to use the devices also in a traditional way.





	COD. 68.6810.61
• Type	Smart Wi-Fi + RF
Max load	500 W
Max Current	2 A
Voltage	100-250 V
Electrical connection	Screw terminals
Outputs	2
Connection	Wi-Fi 2,4GHz + RF + BLE
Material	Plastic
Dimensions	52x47x18 mm

# CONNECTION DIAGRAM

#### Change the way you live your home space

The kit includes a smart Wi-Fi micro-module with a maximum capacity of 2A/600W and wireless remote control, it is designed to transform your motorized blinds and shutters into a powerful home automation solution. It can be installed directly in a 503 box or on a DIN rail (support included). With the HeySmart app you can manage the opening or closing of the device according to your family and home needs, set time schedules and control multiple devices in a group.

Compatible with voice assistants such as Amazon Alexa and Google Home.



- DAILY COMFORT: Optimize your time and simplify your daily routine with the automatic ON and OFF function from the morning wake-up to leaving the house.
- EASY, FAST, SMART: Transform your traditional lighting system into a Smart solution, without replacing it.
- INTEGRATION: Integrate HeySwitch+ with other HeySmart devices to create customized home automation scenarios.

### HeySwitch+

SMART WI-FI MODULE KIT FOR LIGHTING

#### **KEY FEATURES**



#### 360° USE

You can control the lights via APP. In case of network failure, the system works independently with the remote control or via a switch (not included).



#### **REMOTE CONTROL:**


Ideal for those who need to use the devices also in a traditional way.







	COD. 68.6810.67
• Type	Smart Wi-Fi + RF
Max load	2000 W
Max Current	10 A
Voltage	100-250 V
• Electrical connection	Screw terminals
Outputs	
Connection	Wi-Fi 2,4GHz + RF + BLE
Material	Plastic
• Dimensions	52x47x18 mm



#### Smart lighting, remotely

The kit includes a smart Wi-Fi micro-module with a maximum capacity of 10A/2000W and a wireless remote control and is designed to transform a traditional switch into a powerful home automation solution for controlling the lighting in your home. Installable directly in a 503 box or on a DIN rail (support included), it integrates perfectly into your environment. With the HeySmart app you can manage the turning on of the lights when you return home or at dusk, or to optimize the lives of your loved ones. You can also control their shutdown, set time schedules and manage multiple devices in groups. Compatible with voice assistants such as Amazon Alexa and Google Home.

#### **KEY FEATURES**



#### 360° AUTOMATION

Remotely operate different types of electrical systems such as lighting, actuators, pumps, control units of motors and electric locks.



#### WIRED BUTTON INPUT


Connect a wired switch or button directly to HeyRelé for local manual control even in case of network failure.





#### COD. 68.6810.63

Power supply	100-240V 50/60Hz
Installation	DIN rail or built-in
• Wi-Fi	4 GHz 802.11 b/g/n
Channels	
Output	NO/NC dry contact
Wired input	Button
• Dimensione	20v20v10 mm



#### Powerful in control, within reach of your voice

**SMART WI-FI MODULE** 

WITH DRY CONTACT

HeyRelé is an advanced home automation module, which incorporates a dry contact relay. It manages with precision and safety a wide range of electrical systems such as lighting, actuators, pumps, motor control units and electric locks. With its versatility, you can manage and automate any device or system to make it smart. Powered by 230V and equipped with an input for manual control via button, installable on DIN rail (support included) or recessed, Hey-Relé becomes an essential addition to your smart home. Connect it to the Wi-Fi network and via the HeySmart app, control and manage the action of the relay contact remotely. For example, you can set the duration of opening of a gate with an electric lock for the arrival of the cleaner or the return of the children home, then programming the timer to open or close the contact according to your needs. Compatible with voice assistants such as Amazon Alexa and Google Home.



#### **KEY FEATURES**



#### **BRIDGE**

Makes any Zigbee device remotely controllable




#### **THINK BIG**

Ideal for large systems, using Zigbee technology it is possible to connect multiple devices without overloading the Wi-Fi network







	COD. 68.6811.00
GATEWAY:	
Power supply	USB 5V 1A
• Zigbee	3.0
• WI-FI	2.4 GHz
Dimensions	60x60 mm

FOR REMOTE CONTROL

### Expand the Capabilities of Your Smart Home

The Zigbee WI-FI Gateway allows you to transform any device with Zigbee technology into a Wi-Fi device for remote management. Powered via USB, it connects via Wi-Fi to the network for easy installation.

Ideal for use with HeyThermoFree and HeyThermo-R on large systems







### **SMART LIGHTING**

**Every Moment Becomes Magic** 

TURN YOUR HOME INTO A COMFORT AND STYLE OASIS WITH HEYSMART, THE SOLUTION YOU WERE LOOKING FOR, TO LIGHT UP EVERY CORNER WITH PERSONALITY AND FUNCTIONALITY.

> Find out how HeySmart can change your daily life. Enter the future of lighting with us!

#### **CUSTOMIZATION WITHOUT LIMITS:**

Thanks to the Wi-Fi connection and the intuitive HeySmart app, you have total control of your lighting remotely, putting the power of customization at your fingertips.




#### **DOWNLOAD** THE APP



#### **CUSTOMIZED BRIGHTNESS:**

Turn on, off or adjust the color tone with a simple touch, creating the perfect atmosphere for every moment. HeySmart gives you the flexibility to adapt your lighting to your current needs and mood. Choose from endless color combinations the one that best suits your needs, or light up your rooms in white to



#### **LIGHTS AND SCENARIOS:**

Make the most of all the potential of the HeySmart application with pre-set scenarios, from soft light with the dimmer function to color fades, to create lighting suited to your needs in every room of your home. Compatible with Alexa and Google Home voice assistants.



### CREATE THE RIGHT ATMOSPHERE!

#### **MUSIC & LIGHT**

With your smartphone's microphone you can activate the Party Mode and Music Sync functions, to make the lights in time with the music and give the right rhythm to your party.



#### **SIMPLIFY YOUR ROUTINE:**

Set automatic ON and OFF times to make your day easier. Save time and wake up in the right light, starting every morning in the right way.

#### **PACKAGING DESIGN**



Light color type

**MAIN FEATURES:** 

Luminous flux, power, type of attack, etc



Lighting is an essential component of every home. With the HeySmart LED strips, controlling the lights in the environment is totally customizable.

Furthermore via the HeySmart App or voice assistants it is possible to manage it in a simple and intuitive way and adapt it to your needs.



#### **KEY FEATURES**



#### **VERSATILE**

Perfect for decorative use or for room lighting.



#### 360° CONTROL


Use the remote control, the HeySmart App or the Alexa and Google Home Voice Assistants.



#### **MULTICOLOR:**

Choose from endless color combinations the one that suits your need or light up your rooms with natural white


#### **RGBW** COLOR













#### The secret of a perfect atmosphere

Our 2 meter Smart WI-FI LED Strip kit includes everything you need to illuminate and create an atmosphere to your room. With the HeySmart App or the remote control, you can have total control always in your hands and use the most of all potential of your HeyStrip: from party mode, to synchronization with music, or soft light with the dimmer function, up to programmed switches and color fades, to create lighting suited to your needs in every room of your home. Compatible with Alexa and Google Home voice assistants.





Power supply, controller and infrared remote control are all included **PLUG & PLAY** 

	Cod. 23.6804.20 - 2m
• LED Number	60LED/m
Power supply	12Vdc 1A
• Power	11 W
• Length	2 m
• Lumen	275 lm/m
• Life	30.000 h
• IP Grade	IP65
• Color	RGB + 4.000°K
Power supplier	230V ~ 50/60Hz - 12Vcc 1A
Lighting angle	120°
Remote Dimensions	80x50 mm
Wi-Fi frequency	2,4 Ghz

	Cod. 23.6804.30 - 5m
• LED Number	60LED/m
Power supply	12Vdc 2A
Power	20 W
• Length	5 m
• Lumen	275 lm/m
• Life	30.000 h
• IP Grade	IP65
• Color	RGB + 4.000°K
Power supplier	230V ~ 50/60Hz - 12Vcc 2A
Lighting angle	120°
Remote Dimensions	80x50 mm
• Wi-Fi frequency	2,4 GHz









#### **KEY FEATURES**



#### **GROUP CONTROL**

Allows radio frequency association with other HeyController modules for centralized lighting management.



#### OPTIONAL REMOTE CONTROL

Allows you to easily manage different light zones without using other devices or interfaces. (Code DGCT-C112RGBW)



#### **MULTICOLOR:**

Choose from infinite color combinations the one that suits your needs, or illuminate your rooms with the shade of white you prefer.

#### Smart lighting, intuitive operation.

	Cod. 68.6810.69
Input voltage	12 / 24 Vdc
Input current	15,5A
Output current	5CH x 3A (max. 15A)
• Output power 50	CH x (36-72W) max. 360W
• Wi-Fi	2.4 GHz
Dimensions	120x43x35 mm
• Woight	55 a

The Smart Wi-Fi Dimmer Controller for LED Strips is the perfect choice for turning your traditional LED strips into smart solutions. You can upgrade your existing system or integrate it into your new installations to have total control directly from your smartphone via HeySmart App. With HeyController, you will have a series of advanced functions at your disposal, including dimmers, timers, scheduled switching on and group controls, which will make managing your lights easier than ever. HeyController fully integrates with other HeySmart devices, allowing you to create custom scenarios that fit your daily routine. Compatible with Alexa and Google Home voice assistants.

## HeyTriac Dimmer

#### **DIMMER TRIAC SMART WI-FI**











Transform your 230V dimmable lighting system into a smart solution with HeyTriac. This built-in module, compatible with 503 box, converts a traditional button for dimmable lights into an intelligent solution. With a maximum load capacity up to 1.5A (300W), HeyTriac offers the flexibility to select the Dimmer Triac leading Edge and Trailing Edge functions via a switch on the module itself. Furthermore, it has an input for connecting the traditional button, allowing both traditional and remote control management, even in the absence of Wi-Fi.Compatible with Alexa and Google Home voice assistants.



d. 00:0010:00
Smart Wi-Fi + RF
300 W
1.5 A
100-250 V
Screw terminals
Wi-Fi 2,4GHz + RF
Plastic
White
52x52x25 mm
50 g

Cod. 68.6810.68



#### Triac Remote Control

## REMOTE CONTROL FOR HEY TRIAC



## y .......1x CR2032 3V ......2.4 GHz

Optional remote control for the HeyTriac module (Code 68.6810.68). It allows you to manage up to 10 modules simultaneously, offering incomparable convenience. Thanks to the integrated pairing button on the modules, pairing is quick and intuitive.



#### **KEY FEATURES**

#### APP FUNCTIONS

Set color fades, synchronize to the music and create charming light shows for one or more floodlight with ease and versatility.

#### MULTICOLOR:


Choose from infinite color combinations the one that suits your needs, or illuminate your rooms with the shade of white you prefer.


### **RGBW** COLOR











	Cod. 23.6894.51
• Power	20 W
Equivalence	100 W
Color temperature	2700 - 6500K (RGB+CCT)
• Lumen	1620 lm
Lighting angle	110°
• LED type	SMD2835 - SMD5050
• Life	25000h
ON/OFF cycles	12500
Energy efficiency	F
Material	Aluminum + Glass
• IP Grade	IP65
Power supply	220 ~ 240Vac / 50Hz
• Wi-Fi	2.4 GHz
Dimensions	157 x 101 x 56 mm
Weight	335 g

## Light and color for your exteriors, with simplicity

The smart WI-FI multicolor and white light projector is perfect for illuminating gardens, terraces and balconies, creatively. Installation is simple with the integrated wall bracket and the quick connector for connection to the power. Plus, with the included remote control, you can easily manage a single floodlight or group of Hey-Floods. The HeySmart App ensures remote control and management that is always convenient and intuitive, via smartphone. Compatible with Alexa and Google Home voice assistants.





#### **ADVANTAGES FOR YOU**

PLUG&PLAY: The ideal solution to replace your traditional ceiling lamp and light up a work place or give color to a room in particular moments.





4200 \$120°









#### **KEY FEATURES**

#### APP FUNCTIONS

Set color fades, synchronize to the music and create charming light shows for one or more floodlight with ease and versatility.



#### **MULTICOLOR**

Choose from infinite color combinations the one that suits your needs, or illuminate your rooms with the shade of white you prefer.

	Cod. 23.6822.00
• Power	40W
Power supply	230Vac
• Lumen	4200 lm
Light Type	RGB + CCT
Color Temperature	3000/4000/6000 °K
Lighting angle	120°
• CRI	>80
LED type	2835
IP Grade	IP20
• Life	30000 h
Installation	In-wall
Base Material	Aluminium
Cover Material	Plastic
Dimensions	595x595x10 mm
Weight	2500 g
Energy Efficiency	E

## Light up your world, the way you want!

The SMART Wi-Fi LED multicolor and white panel is the perfect solution to light up a working place or rooms in a creative way.

Installation is simple, can be mounted on 60x60cm false ceiling housing or suspended with its accessories (code 23.0222.78) or standing (code 23.0222.75).

Manage HeyPanel easily from smartphone in an intuitive and pratical way, also in group, to control different panels at the same time, guaranteeing a solid and customizable lighting in every environment. Compatible with Alexa and Google Home voice assistants.




#### **KEY FEATURES**



#### SMART INTEGRATION

Combine HeyLight with other HeySmart devices and simplify your daily routine



	Cod. 23.0221.80
• Power	30W
• Lumen	1800 Lm
• LED number	60
• Incandescent equivalence	115 W
• LED type	2835
Lighting angle	120°
• Life	20.000 h
	3000K - 5000K
IP Grade	IP20
Power supply	230 Vac
Dimensions (DxH)	400x50 mm
Weight	1200 g
Material	. Metal (base), Plastic (cover)

#### Simply Smart

The smart Wi-Fi ceiling light with CCT technology allows you to select the best suited color temperature to your needs, between warm, natural and cold white. The clean and practical design integrates into both work and home spaces, perfectly. Installation is quick, via direct connection to 230V electricity and the WI-FI network via the HeySmart App. Manage HeyLight comfortably from your smartphone in an intuitive and practical way. even in a group, to easily control multiple lights simultaneously, find uniform and personalized lighting in every environment. Compatible with Alexa and Google Home voice assistants.



#### **KEY FEATURES**



#### SMART INTEGRATION


Combine HeyRing with other HeySmart devices and simplify your daily routine



#### REMOTE CONTROL


Supplied, to control individual circles or groups of circles (in multiple installations)

	Cod. 23.6816.70
• Power	36 W
LED Number	84
LED type	SMD
• Lumen	4000 lm
Color temperature	3000-6500°K CCT
• CRI	Ra80
Lighting angle	175 °
Energy efficiency	E
• Life	15000 h
Incandescence equivalence	
IP Grade	IP20
• WI-FI	2.4 GHz
Power supply	180 - 240Vac
Power Factor	> 0.9
Dimensions (D x H)	285x26 mm
Weight	242.3 g



## Minimum expense, maximum return, Smart.

The Smart Wi-Fi LED Round light is a modern alternative to traditional light bulbs inside your ceiling light. Replacement is simple thanks to the magnets useful for direct installation on an iron ceiling light. With CCT technology, it allows you to select the best suited color temperature to your needs, between warm, natural and cold white. Furthermore, the practical included remote control allows the management of a single circle light or multiple units, offering greater flexibility and control. Connect HeyRing to your Wi-Fi network and with the dedicated app, adjust the lighting intensity, set timers and time schedules to adapt it to your needs. Compatible with Alexa and Google Home voice assistants.





#### APP FUNCTIONS

Enjoy light effects synchronized to music or choose from the preset scenarios directly from the HeySmart app.

#### **BIORHYTHM LIGHT**



#### **MUSIC SYNC LIGHT**



#### **WAKE UP LIGHT**



#### **LIVING LIGHT**



	Cod. 23.0600.10
• LED Number	48
Power supply	5V <del></del> 1A
Power	5 W
Color temperature	2.700 - 6.500K (RGB+CCT)
Lumen	360 lm
• Life	20.000 h
• IP Grade	IP20
Lighting angle	120°
• Material	ABS + glass
• Dimensions	205x205x205 mm
Maight	0.5 kg

#### Light and atmosphere for your every moment.

HeyTable: table or bedside lamp in elegant opal glass, with multicolor functions and tunable white for personalized lighting. Powered via USB cable and power supply included, it connects to the HeySmart app via Wi-Fi and directly from your smartphone, you can adjust color change, shades, dimming or manage timed or group switching. It is perfect for any environment: living room, bedroom, lounge, even for parties and events. Compatible with Alexa and Google Home voice assistants..

# CREATE THE PERFECT ATMOSPHERE FOR EVERY OCCASION



ON Smart bulbs are innovative devices that integrate technology with lighting to offer a series of advanced and practical features. The range offers two alternatives based on needs.

The CCT Filament LED series offers the possibility of choosing the shade of white you prefer to light up the environment.

**The RGB+CCT LED Series,** on the other hand, allows you to create infinite plays of light by choosing from millions of colours, from party or soft light modes to synchronization with music. To complete the functions it is also possible to simply choose the favorite shade of white to create uniform and welcoming environmental lighting.

Smart bulbs can be integrated with other smart home devices and voice assistants, allowing users to control them via voice commands or create customizable scenarios.



## **Hey Bulb**

## SMART WI-FI LED BULB DROP FILAMENT





HeyControl

REMOTE CONTROL












#### Cod. 23.6834.07






- Socket: E27
- Shape: Drop
- Type: A60
- Power: 7W
- Equivalence: 60W
- · Light type: CCT
- Color temperature: 2700-6500 °K
- · Lumen: 840 lm
- · Dimmable: Yes
- · LED type: SMD
- Lighting angle: 360°
- · Coverage: Milky
- Color rendering index: (CRI) 80
- Power supply: 230 Vac
- · Average ignition cycles: 7500
- · Average life: 15000 h
- Connection: Wi-Fi + Mesh
- · Wi-Fi frequency: 2.4 GHz

## Hey Globe

## SMART WI-FI LED BULB GLOBE FILAMENT







- Socket: E27
- · Shape: Globe
- Type: G125
- Power: 8W
- Equivalence: 75W
- · Light type: CCT
- · Color temperature: 2700-6500 °K
- Lumen: 1090 lm
- · Dimmable: Yes
- · LED type: SMD
- Lighting angle: 360°
- Coverage: Milky
- Color rendering index: (CRI) 80
- Power supply: 230 Vac
- Average ignition cycles: 7500
- Average life: 15000 h
- Connection: Wi-Fi + Mesh
- Wi-Fi frequency: 2.4 GHz



## **Hey Candle**

SMART WI-FI LED BULB **CANDLE FILAMENT** 



















## HeySpot

SMART WI-FI LED **GLASS SPOTLIGHT GU10** 







HeyControl REMOTE CONTROL












#### Cod. 23.6834.66





- · Socket: E14
- · Shape: Candle
- Type: C37
- · Power: 4.5W
- · Equivalence: 40W
- · Light type: CCT
- · Color temperature: 2700-6500 °K
- Lumen: 490 lm
- · Dimmable: Yes
- · LED type: SMD · Lighting angle: 320°
- · Coverage: Milky
- Color rendering index (CRI): 80
- Power supply: 230 Vac • Average ignition cycles: 7500
- · Average life: 15000 h
- · Connection: Wi-Fi + Mesh
- Wi-Fi frequency: 2.4 GHz



#### Cod. 23.6847.47

- · Socket: GU10
- · Shape: Spot
- Type: GU10
- Power: 5W
- Equivalence: 30W
- · Light type: CCT
- · Color temperature: 2700-6500 °K
- Lumen: 360 lm
- · Dimmable: Yes
- · LED type: SMD
- Lighting angle: 60°
- · Coverage: Transparent
- Color rendering index: (CRI) 80
- Power supply: 230 Vac
- Average ignition cycles: 7500
- · Average life: 15000 h
- · Connection: Wi-Fi + IR
- Wi-Fi frequency: 2.4 GHz



## Hey Bulb Deco

SMART WI-FI LED BULB
EDISON FILAMENT







Hey Control
REMOTE CONTROL











## **Hey Control**

ON/OFF DIMMING WI-FI
REMOTE CONTROL FOR
SMART BULBS










#### Cod. 23.6832.10





- Socket: E27
- · Shape: Edison
- · Type: ST64
- Power: 7W
- Equivalence: 50W
- · Light type: Warm
- Color temperature: 2200 °K
- · Lumen: 600 lm
- · Dimmable: Yes
- LED type: Filament
- · Lighting angle: 360°
- · Coverage: Transparent
- Color rendering index: (CRI) 80
- Power supply: 230 Vac
- Average ignition cycles: 7500
- Average life: 15000 h
- Connection: Wi-Fi + Mesh
- Wi-Fi frequency: 2.4 GHz

## PACKAGING:

- Radio frequency: 2,4 GHz
- Indoor range: 20m
- Outdoor range: 50m
- Pairable devices: 15
- Power supply: 2x AAA
- Weight: 50g



## Hey Candle

SMART WI-FI LED BULB **CANDLE** 







Hey Color+ REMOTE CONTROL












#### Cod. 23.6835.11





- · Socket: E14
- · Shape: Candle
- Type: C37
- Power: 4.8W
- Equivalence: 40W
- Light type: RGB + CCT
- Color temperature: 2700-6500 °K
- Lumen: 470 lm
- · Dimmable: Yes
- Efficiency: 75 lm/W
- · LED type: SMD
- · Lighting angle: 180°
- · Coverage: Milky
- Color rendering index (CRI): 80
- Power supply: 230 Vac
- Average ignition cycles: 7500
- · Average life: 15000 h · Connection: Wi-Fi + BLE
- Wi-Fi frequency: 2.4 GHz

## **Hey Bulb**

SMART WI-FI LED BULB **DROP** 







Hey Color+ REMOTE CONTROL

















- · Socket: E27
- · Shape: Drop
- Type: A65
- Power: 11W
- Equivalence: 75W
- Light type: RGB + CCT
- Color temperature: 2700-6500 °K
- Lumen: 1050 lm
- · Dimmable: Yes
- · LED type: SMD
- Lighting angle: 200°
- · Coverage: Milky • Color rendering index (CRI): 80
- Power supply: 230 Vac
- Average ignition cycles: 7500
- · Average life: 15000 h
- · Connection: Wi-Fi + BLE
- Wi-Fi frequency: 2.4 GHz



## **Hey Bulb**

SMART WI-FI LED BULB **DROP** 







#### Cod. 23.6835.24

- · Socket: E27 · Shape: Drop • Type: A65 • Power: 14W
- Equivalence: 94W
- Light type: RGB + CCT
- Color temperature: 2700-6500 °K
- Lumen: 1400 lm · Dimmable: Yes
- · LED type: SMD
- · Lighting angle: 200°
- · Coverage: Milky
- Color rendering index (CRI): 80
- Power supply: 230 Vac
- Average ignition cycles: 7500
- · Average life: 15000 h
- Connection: Wi-Fi + BLE
- Wi-Fi frequency: 2.4 GHz

## **HeySpot**

SMART WI-FI LED GU10 **SPOTLIGHT** 







- · Socket: GU10
- · Shape: Spot
- Type: GU10
- Power: 5W
- Equivalence: 25W
- Light type: RGB + CCT
- Color temperature: 2700-6500 °K
- Lumen: 400 lm
- · Dimmable: Yes
- · LED type: SMD
- Lighting angle: 120°
- · Coverage: Milky
- Color rendering index (CRI): 80
- Power supply: 230 Vac
- Average ignition cycles: 7500
- Average life: 15000 h
- Connection: Wi-Fi + BLE
- Wi-Fi frequency: 2.4 GHz




## **Hey Globe**

SMART WI-FI LED BULB **GLOBE G95** 



#### Cod. 23.6835.31






- · Socket: E27
- · Shape: Globe
- Type: G95
- Power: 11W
- Equivalence: 75W
- Light type: RGB + CCT
- Color temperature: 2700-6500 °K
- Lumen:1050 lm
- · Dimmable: Yes
- · LED type: SMD
- · Lighting angle: 200°
- · Coverage: Milky
- Color rendering index (CRI): 80
- Power supply: 230 Vac
- Average ignition cycles: 7500
- Average life: 15000 h
- · Connection: Wi-Fi + BLE
- Wi-Fi frequency: 2.4 GHz

## Hey Globe

SMART WI-FI LED BULB **GLOBE G120** 







- · Socket: E27
- · Shape: Globe
- Type: G120
- Power: 14W
- Equivalence: 94W
- Light type: RGB + CCT
- Color temperature: 2700-6500 °K
- Lumen: 1400 lm
- · Dimmable: Yes
- · LED type: SMD
- Lighting angle: 200°
- · Coverage: Milky
- Color rendering index (CRI): 80
- · Power supply: 230 Vac
- Average ignition cycles: 7500
- · Average life: 15000 h
- Connection: Wi-Fi + BLE
- Wi-Fi frequency: 2.4 GHz



## Hey Color+

HEY SMART BULBS
REMOTE CONTROL















- Batteries: 2x AAA 1,5V (not included)
- Frequency band: 2.400 ~ 2.480MHz
- Dimensions: 105 x 50 x 15 mm





Copyright Kon.El.Co. All rights reserved. All brands and product names mentioned are trademarked or registered trademarks of their respective companies. The photos are representative only. Technical and/or aesthetic features of products are subject to change without notice.